



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ES0000418
SITENAME Embalse de Talaván

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type A	1.2 Site code ES0000418	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Embalse de Talaván

1.4 First Compilation date 2004-03	1.5 Update date 2015-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Junta de Extremadura
Address: Consejería de Medio Ambiente y Rural, Políticas Agrarias y Territorio Dirección General de Medio Ambiente Avenida de Luis Ramallo s/n06800 MÉRIDA
Email: dgma.marp@gobex.es

1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-12
National legal reference of SPA designation	Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude -6.316111111111111 **Latitude** 39.67222222222222

[Back to top](#)

B	A298	Acrocephalus arundinaceus			r					C	P	C	C	C	C
B	A168	Actitis hypoleucos			c	1	5	i			G	C	C	C	C
B	A247	Alauda arvensis			w	501	1000	i			M	C	C	C	C
B	A229	Alcedo atthis			p	1	5	p			M	C	C	C	C
B	A054	Anas acuta			w				V		G	C	C	C	C
B	A056	Anas clypeata			w	1	5	i			G	C	C	C	C
B	A056	Anas clypeata			c	11	50	i			G	C	C	C	C
B	A052	Anas crecca			c	100	150	i			G	C	C	C	C
B	A052	Anas crecca			w	11	50	i			G	C	C	C	C
B	A050	Anas penelope			w	51	100	i			G	C	C	C	C
B	A053	Anas platyrhynchos			w	50	100	i			G	C	C	C	C
B	A053	Anas platyrhynchos			c	101	250	i			G	C	C	C	C
B	A051	Anas strepera			c	11	50	i			G	C	C	C	C
B	A051	Anas strepera			w	5	70	i			G	C	C	C	C
B	A043	Anser anser			w				V		G	C	C	C	C
B	A043	Anser anser			c	51	100	i			G	C	C	C	C
B	A259	Anthus spinoletta			w	11	50	i			M	C	C	C	C
B	A091	Aquila chrysaetos			p	1	1	p			G	C	C	C	C
B	A028	Ardea cinerea			c	11	50	i			G	C	C	C	C
B	A028	Ardea cinerea			w	1	5	i			G	C	C	C	C
B	A222	Asio flammeus			c				V		M	D			
B	A059	Aythya ferina			w	15	150	i			G	C	C	C	C
B	A061	Aythya fuligula			w	11	50	i			G	C	C	C	C
B	A021	Botaurus stellaris			c				V		P	D			
B	A025	Bubulcus ibis			c	101	250	i			P	C	C	C	C
B	A133	Burhinus oedicnemus			p				P		P	C	C	C	C
B	A243	Calandrella brachydactyla			r	1001	10000	i			M	C	B	C	B
B	A149	Calidris alpina			c	11	50	i			G	C	C	C	C
B	A147	Calidris ferruginea			c	1	5	i			G	C	C	C	C
B	A146	Calidris temminckii			c				V		G	C	C	C	C
B	A288	Cettia cetti			c				C		P	D			
B	A136	Charadrius dubius			c	11	50	i			G	C	C	C	C
B	A137	Charadrius hiaticula			c				V		G	D			
B	A197	Chlidonias niger			c	1	5	i			G	C	C	C	C
B	A031	Ciconia ciconia			c	11	50	i			G	C	C	C	C
B	A031	Ciconia ciconia			w	11	50	i			G	C	C	C	C
B	A031	Ciconia ciconia			r	20	20	p			G	C	C	C	C
B	A030	Ciconia nigra			c				P		G	C	C	C	C

B	A080	Circetus gallicus			r					P	P	C	C	C	C
B	A081	Circus aeruginosus			w	1	5	i			G	C	C	C	C
B	A081	Circus aeruginosus			c					V	G	C	C	C	C
B	A082	Circus cyaneus			w	1	5	i			M	C	C	C	C
B	A084	Circus pygargus			r	6	6	p			G	C	C	C	C
B	A211	Clamator glandarius			r					P	P	C	C	C	C
B	A231	Coracias garrulus			r					P	M	C	B	C	B
B	A027	Egretta alba			w					V	G	C	C	C	C
B	A026	Egretta garzetta			c	1	5	i			G	C	C	C	C
B	A026	Egretta garzetta			p	5	10	i			G	C	C	C	C
B	A026	Egretta garzetta			w	6	10	i			G	C	C	C	C
B	A381	Emberiza schoeniclus			w	6	10	i			M	C	C	C	C
R	1220	Emys orbicularis			p	1	4	grid 10x10			P	C	C	C	C
B	A095	Falco naumanni			r					P	P	C	C	C	C
B	A096	Falco tinnunculus			r					C	P	D			
B	A125	Fulica atra			w	5	100	i			G	C	C	C	C
B	A125	Fulica atra			r	16	16	i			G	C	C	C	C
B	A245	Galerida theklae			p	1001	10000	i			M	C	C	C	C
B	A153	Gallinago gallinago			c	11	50	i			G	C	C	C	C
B	A153	Gallinago gallinago			w	6	10	i			M	C	C	C	C
B	A135	Glareola pratincola			c	6	10	i			M	C	C	C	C
B	A127	Grus grus			w	386	386	i			G	C	C	C	C
B	A093	Hieraetus fasciatus			p					P	P	C	C	C	C
B	A092	Hieraetus pennatus			r					P	P	D			
B	A131	Himantopus himantopus			p	1	5	p			G	C	C	C	C
B	A131	Himantopus himantopus			c	6	10	i			G	C	C	C	C
B	A251	Hirundo rustica			r					C	M	C	C	C	C
B	A022	Ixobrychus minutus			r	1	5	p			G	C	C	C	C
B	A022	Ixobrychus minutus			c					V	P	C	C	C	C
B	A340	Lanius excubitor			r					C	P	D			
B	A183	Larus fuscus			w	1	5	i			G	C	C	C	C
B	A179	Larus ridibundus			w	1	5	i			G	C	C	C	C
B	A157	Limosa lapponica			c					V	G	C	C	C	C

B	A165	Ochropus			c	1	5	i		G	C	C	C	C
B	A165	Tringa ochropus			w	1	5	i		G	C	C	C	C
B	A162	Tringa totanus			c	6	10	i		G	C	C	C	C
B	A232	Upupa epops			r				C	P	D			
B	A232	Upupa epops			w				C	P	D			
B	A142	Vanellus vanellus			w	251	500	i		M	C	C	C	C
B	A142	Vanellus vanellus			c	11	50	i		G	C	C	C	C

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
B	A028	Ardea cinerea						P						X
R	2431	Psammodromus hispanicus						P			X			

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N08	25.0

N06	8.0
N18	50.0
N09	17.0
Total Habitat Cover	100

Other Site Characteristics

ZEPA situada en el centro de la provincia de Cáceres, en la comarca de Cáceres, entre las poblaciones de Talaván, Hinojal y Santiago del Campo. Se trata de una zona pseudoesteparia, dentro de la cual se encuentra el embalse de Talaván. Esta combinación hace de la zona un lugar de importancia, tanto para las aves esteparias, como acuáticas.

4.2 Quality and importance

Esta ZEPA tiene dos hábitats diferenciados claramente, pero en muchos casos complementarios, como son las zonas abiertas pseudoesteparias y las aguas de interior correspondientes al embalse de Talavá, embalse con pequeñas zonas con presencia de vegetación de orla en los bordes del embalse. En este enclave se han detectado al menos 30 especies incluidas en el Anexo I de la Directiva Aves, destacando entre las esteparias el núcleo reproductor de avutarda, junto a la presencia de sisón, ortega, ganga, alcaraván, las tres especies de aguilucho, cernícalo primilla, así como una buena representación de aláudidos. A estas hay que sumar la importante población de aves acuáticas que utilizan el embalse de Talaván en los distintos periodos del año, destacando el importante dormitorio de grullas localizado en las aguas someras del embalse y que se alimentan en los pastizales y dehesas cercanos, la invernada de anátidas, la presencia de calamón durante el periodo reproductor, o la de especies sensibles como la espátula, el avetoro, el avetorillo o el fumarel común durante los periodos migratorios. Además, un total de 5 elementos referidos en la Directiva Hábitat se encuentran representados en dicho enclave. De ellos 3 son hábitats: retamares, majadales y dehesas, y 2 se corresponden con taxones del Anexo II: nutria y galápago leproso.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	A02		i
L	G01		i
L	B02.01		i
H	A05.01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
L	X		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Catalogo Regional de Especies Amenazadas de Extremadura Atlas y Libro Rojo de los Vertebrados de España

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Junta de Extremadura. Consejería de Medio Ambiente y Rural, Políticas Agrarias y Territorio. Dirección General de Medio Ambiente
Address:	Avenida de Luis Ramallo s/n. CP: 06800 MÉRIDA (Badajoz)
Email:	dgma.marpat@gobex.es

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura. Link: http://doe.gobex.es/pdfs/doe/2015/1050o/15040122.pdf
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura.
--

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

http://natura2000.eea.europa.eu/
