



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ES0000425

SITENAME Magasca

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type A | 1.2 Site code ES0000425 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

| |
|---------|
| Magasca |
|---------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 2004-03 | 1.5 Update date 2015-12 |
|--|-----------------------------------|

1.6 Respondent:

| |
|---|
| Name/Organisation: Junta de Extremadura |
| Address: Consejería de Medio Ambiente y Rural, Políticas Agrarias y Territorio Dirección General de Medio Ambiente Avenida de Luis Ramallo s/n06800 MÉRIDA |
| Email: dgma.marpat@gobex.es |

1.7 Site indication and designation / classification dates

| | |
|--|---|
| Date site classified as SPA: | 2004-12 |
| National legal reference of SPA designation | Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude -6.01305555555556 **Latitude** 39.51944444444444

2.2 Area [ha]:

2.3 Marine area [%]

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| | |
|------|-------------|
| ES43 | Extremadura |
|------|-------------|

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION[Back to top](#)**3.1 Habitat types present on the site and assessment for them**

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 5330 | | | 542.32 | | M | B | C | B | B |
| 6220 | | | 3470.86 | | M | A | C | A | A |
| 6310 | | | 1193.11 | | M | A | C | A | A |
| 92D0 | | | 108.46 | | M | B | C | B | B |

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | Site assessment | | | | |
|---------|------|------------------------------------|---|----|------------------------|-------|-------|------|------|-----------------|---------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A247 | Alauda arvensis | | | w | 10000 | 15000 | i | | M | C | B | C | B |
| B | A053 | Anas platyrhynchos | | | w | 11 | 50 | i | | M | C | C | C | C |
| B | A257 | Anthus pratensis | | | w | 10000 | 15000 | i | | M | C | B | C | B |
| B | A091 | Aquila chrysaetos | | | p | 1 | 1 | p | | G | C | C | C | C |

| | | | | | | | | | | | | | | |
|---|------|---|---|--|---|-------|-------|---|---|---|---|---|---|---|
| B | A405 | Aquila heliaca adalberti | | | p | 1 | 1 | p | | G | C | C | C | C |
| B | A028 | Ardea cinerea | | | c | 6 | 10 | i | | M | C | C | C | C |
| B | A222 | Asio flammeus | | | c | 1 | 1 | i | | M | C | C | C | C |
| B | A215 | Bubo bubo | | | p | 1 | 5 | p | | G | C | B | C | B |
| B | A133 | Burhinus oedicnemus | | | r | | | | P | G | C | C | C | C |
| B | A133 | Burhinus oedicnemus | | | p | | | | P | P | D | | | |
| B | A243 | Calandrella brachydactyla | | | p | 10000 | 15000 | i | | M | C | B | C | B |
| B | A243 | Calandrella brachydactyla | | | r | 10000 | 15000 | i | | M | C | B | C | B |
| B | A031 | Ciconia ciconia | | | w | 6 | 10 | i | | M | C | C | C | C |
| B | A031 | Ciconia ciconia | | | r | 9 | 9 | p | | G | C | C | C | C |
| B | A030 | Ciconia nigra | | | r | 2 | 2 | p | | G | C | C | C | C |
| B | A030 | Ciconia nigra | | | c | 4 | 4 | i | | G | C | C | C | B |
| B | A080 | Circaetus gallicus | | | r | 1 | 1 | p | | G | C | C | C | C |
| B | A081 | Circus aeruginosus | X | | p | 2 | 2 | p | | G | C | C | C | C |
| B | A082 | Circus cyaneus | | | w | 1 | 5 | i | | M | C | C | C | C |
| B | A084 | Circus pygargus | | | p | 11 | 11 | p | | G | C | B | C | B |
| B | A084 | Circus pygargus | | | r | 37 | 37 | p | | G | C | C | C | C |
| B | A211 | Clamator glandarius | | | r | 6 | 10 | i | | M | C | C | C | C |
| F | 5302 | Cobitis paludica | | | p | | | | P | P | C | B | C | B |
| B | A212 | Cuculus canorus | | | r | 6 | 10 | i | | M | C | C | C | C |
| B | A095 | Falco naumanni | | | p | | | | P | P | C | C | C | C |
| B | A095 | Falco naumanni | | | r | 6 | 10 | i | | G | C | C | C | C |
| B | A103 | Falco peregrinus | | | p | 1 | 1 | p | | G | C | C | C | C |
| B | A096 | Falco tinnunculus | | | r | | | | P | P | D | | | |
| B | A125 | Fulica atra | | | r | 2 | 2 | i | | G | C | C | C | C |
| B | A245 | Galerida theklae | | | p | 10000 | 15000 | i | | M | C | B | C | B |
| B | A127 | Grus grus | | | w | 51 | 100 | i | | M | C | C | C | C |
| B | A131 | Himantopus himantopus | | | r | 1 | 5 | i | | M | C | C | C | C |
| B | A341 | Lanius senator | | | r | 1001 | 10000 | i | | M | C | C | C | C |
| B | A179 | Larus ridibundus | | | w | 11 | 50 | i | | M | C | C | C | C |
| B | A246 | Lullula arborea | | | p | 251 | 500 | i | | M | C | C | C | C |
| R | 1221 | Mauremys leprosa | | | p | | | | P | P | D | | | |
| B | A242 | Melanocorypha calandra | | | p | 1001 | 10000 | i | | M | C | B | C | B |
| B | A230 | Merops apiaster | | | r | 101 | 250 | i | | M | C | C | C | C |
| B | A073 | Milvus migrans | | | r | 11 | 50 | i | | M | C | C | C | C |
| B | A074 | Milvus milvus | | | w | 101 | 250 | i | | G | C | B | C | B |
| B | A074 | Milvus milvus | | | r | 1 | 5 | p | | G | C | B | C | B |
| B | A074 | Milvus milvus | | | p | 1 | 5 | p | | M | C | B | C | C |
| B | A262 | Motacilla alba | | | w | 1001 | 10000 | i | | M | C | C | C | C |
| B | A077 | Neophron percnopterus | | | r | | | | P | G | C | C | C | C |
| B | A077 | Neophron percnopterus | | | p | 1 | 1 | p | | G | C | C | C | C |
| B | A129 | Otis tarda | | | w | 11 | 50 | i | | G | C | C | C | B |
| B | A129 | Otis tarda | | | r | 51 | 100 | i | | G | C | C | C | B |
| B | A017 | Phalacrocorax carbo | | | w | 6 | 10 | i | | M | C | C | C | C |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|---|-------|-------|---|---|---|---|---|---|---|
| B | A273 | Phoenicurus ochruros | | | w | 1001 | 10000 | i | | M | C | C | C | C |
| B | A315 | Phylloscopus collybita | | | w | 10000 | 15000 | i | | M | C | C | C | C |
| B | A140 | Pluvialis apricaria | | | w | 501 | 1000 | i | | M | C | C | C | C |
| F | 6149 | Pseudochondrostoma polylepis | | | p | | | | P | P | C | B | C | B |
| B | A205 | Pterocles alchata | | | p | 101 | 250 | i | | M | C | C | C | C |
| B | A420 | Pterocles orientalis | | | p | 11 | 50 | i | | M | C | C | C | C |
| F | 1123 | Rutilus alburnoides | | | p | | | | P | P | C | C | C | C |
| F | 1125 | Rutilus lemmingii | | | p | | | | P | P | C | B | C | B |
| B | A351 | Sturnus vulgaris | | | w | 501 | 1000 | i | | M | C | C | C | C |
| B | A302 | Sylvia undata | | | p | 1001 | 10000 | i | | M | C | C | C | C |
| B | A004 | Tachybaptus ruficollis | | | r | 2 | 2 | i | | G | C | C | C | C |
| B | A128 | Tetrax tetrax | | | r | 251 | 500 | i | | G | C | C | C | C |
| B | A128 | Tetrax tetrax | | | w | 101 | 250 | i | | G | C | C | C | C |
| B | A165 | Tringa ochropus | | | w | 6 | 10 | i | | M | C | C | C | C |
| B | A142 | Vanellus vanellus | | | w | 501 | 1000 | i | | M | C | C | C | C |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | Population in the site | | | | | Motivation | | | | | | |
|---------|------|-------------------------------------|------------------------|----|------|-----|------|------------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| B | A218 | Athene noctua | | | | | | P | | | | | | X |
| B | A025 | Bubulcus ibis | | | | | | P | | | | | | X |
| F | 5654 | Gambusia holbrooki | | | | | | P | | | | | | X |
| F | 5687 | Lepomis gibbosus | | | | | | P | | | | | | X |
| F | 5281 | Luciobarbus bocagei | | | | | | P | | | X | | | |
| F | 5857 | Squalius pyrenaicus | | | | | | P | | | X | | | |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N08 | 30.0 |
| N09 | 50.0 |
| N12 | 5.0 |
| N18 | 15.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

ZEPA situada en el centro de la provincia de Cáceres, sobre la comarca de Trujillo. Este espacio cuenta con grandes extensiones de llanos al este de Santa Marta de Magasca. El espacio cuenta con varios cursos de agua, como el río Magasca y el Magasquilla. Los límites de esta ZEPA se encuentran situados sobre los términos de La Cumbre, Santa Marta de Magasca, Trujillo y Aldea del Obispo. El paisaje está conformado principalmente por grandes extensiones de praderías, pastizales secos, dehesas y escobonares. La estacionalidad se acusa fuertemente en este enclave, mostrando durante la época estival una gran carencia de agua, excepto en puntos muy concretos que ejercen un gran poder de atracción para la fauna.

4.2 Quality and importance

Un total de 8 elementos referidos en la Directiva Hábitat se encuentran representados en dicho enclave. De ellos 4 son hábitat y 4 se corresponden con taxones del Anexo II. El paisaje se encuentra representado por grandes extensiones subestépicas de gramíneas rodeadas por dehesas de Quercus y de algunas etapas seriales como retamales, presentándose típica vegetación de ribera en los cursos de agua. Presencia en reptiles de galápagos leproso (*Mauremys leprosa*). En peces, aparecen los taxones pardilla (*Rutilus lemmingii*), calandino (*Rutilus alburnoides*) y colmilleja (*Cobitis taenia*). En este mismo enclave se encuentran un total de 14 especies incluidas en el Anexo I de la citada Directiva, destacando la comunidad de aves esteparias: avutarda (*Otis tarda*), sisón (*Tetrax tetrax*), ganga (*Pterocles alchata*), ortega (*Pterocles orientalis*), alcaraván (*Burhinus oedicnemus*) y aguilucho cenizo (*Circus pygargus*), junto con rapaces como alimoche (*Neophron percnopterus*), águila real (*Aquila chrysaetos*) o águila culebrera (*Circaetus gallicus*). También aparece en reproducción la cigüeña negra (*Ciconia nigra*), especie en peligro de extinción.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| M | A07 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | X | | i |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Catalogo Regional de Especies Amenazadas de Extremadura Atlas y Libro Rojo de los Vertebrados de España

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|--|
| Organisation: | Junta de Extremadura. Consejería de Medio Ambiente y Rural, Políticas Agrarias y Territorio. Dirección General de Medio Ambiente |
| Address: | Avenida de Luis Ramallo s/n. CP: 06800 MÉRIDA (Badajoz) |
| Email: | dgma.marp@gobex.es |

6.2 Management Plan(s):

An actual management plan does exist:

| | | |
|-------------------------------------|------------------------|---|
| <input checked="" type="checkbox"/> | Yes | Name: Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura. Link: http://doe.gobex.es/pdfs/doe/2015/1050o/15040122.pdf |
| <input type="checkbox"/> | No, but in preparation | |
| <input type="checkbox"/> | No | |

6.3 Conservation measures (optional)

Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

<http://natura2000.eea.europa.eu/>