



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE ES0000427  
SITENAME Río y Pinares del Tietar

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> A	<b>1.2 Site code</b> ES0000427	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Río y Pinares del Tietar
--------------------------

<b>1.4 First Compilation date</b> 2004-03	<b>1.5 Update date</b> 2015-12
--	-----------------------------------

### 1.6 Respondent:

<b>Name/Organisation:</b> Junta de Extremadura
<b>Address:</b> Consejería de Medio Ambiente y Rural, Políticas Agrarias y Territorio Dirección General de Medio Ambiente Avenida de Luis Ramallo s/n06800 MÉRIDA
<b>Email:</b> dgma.marpat@gobex.es

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	2004-12
<b>National legal reference of SPA designation</b>	Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

**Longitude** -5.641111111111111  
**Latitude** 40.02777777777778

[Back to top](#)

**2.2 Area [ha]:**

8716.53

**2.3 Marine area [%]**

0.0

**2.4 Sitelength [km]:**

0.0

**2.5 Administrative region code and name****NUTS level 2 code****Region Name**

ES43

Extremadura

**2.6 Biogeographical Region(s)**Mediterranean (100.0  
%)**3. ECOLOGICAL INFORMATION**[Back to top](#)**3.1 Habitat types present on the site and assessment for them**

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
4030 <b>f</b>			191.76		M	A	C	A	A
5330 <b>f</b>			87.17		M	C	C	C	C
6220 <b>f</b>			87.17		M	C	C	C	C
6310 <b>f</b>			217.91		M	B	C	B	B
91B0 <b>f</b>			87.17		M	B	C	B	B
91E0 <b>f</b>			87.17		M	B	C	B	B
9230 <b>f</b>			488.13		M	B	C	B	B
92A0 <b>f</b>			87.17		M	B	C	B	B
92D0 <b>f</b>			87.17		M	A	B	A	A

**PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

**NP:** in case that a habitat type no longer exists in the site enter: x (optional)

**Cover:** decimal values can be entered

**Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

**Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

**3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive**

## 92/43/EEC and site evaluation for them

Species						Population in the site					Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A168	<a href="#">Actitis hypoleucos</a>			w	1	1	i		G	C	C	C	C
B	A168	<a href="#">Actitis hypoleucos</a>			c	1	1	i		G	C	C	C	C
B	A247	<a href="#">Alauda arvensis</a>			w	2500	3000	i		M	C	C	C	C
B	A229	<a href="#">Alcedo atthis</a>			p				P	M	C	C	C	C
B	A050	<a href="#">Anas penelope</a>			w	8	8	i		G	C	C	C	C
B	A053	<a href="#">Anas platyrhynchos</a>			w	12	12	i		G	C	C	C	C
B	A043	<a href="#">Anser anser</a>			w	1	15	i		G	C	C	C	C
B	A257	<a href="#">Anthus pratensis</a>			w	5000	6000	i		M	C	C	C	C
B	A028	<a href="#">Ardea cinerea</a>			w	11	50	i		M	C	C	C	C
B	A028	<a href="#">Ardea cinerea</a>			r	143	143	p		G	C	B	C	B
B	A215	<a href="#">Bubo bubo</a>			p	1	1	p		G	C	C	C	C
B	A025	<a href="#">Bubulcus ibis</a>			r	11	50	i		M	C	C	C	C
B	A025	<a href="#">Bubulcus ibis</a>			w	140	150	i		G	C	C	C	C
I	1078	<a href="#">Callimorpha quadripunctaria</a>			p				C	P	C	B	C	A
I	1088	<a href="#">Cerambyx cerdo</a>			p				V	P	C	B	C	B
B	A031	<a href="#">Ciconia ciconia</a>			w	11	50	i		M	C	C	C	C
B	A031	<a href="#">Ciconia ciconia</a>			r	29	29	p		G	C	C	C	C
B	A030	<a href="#">Ciconia nigra</a>			w	1	5	i		M	C	C	C	C
B	A030	<a href="#">Ciconia nigra</a>			r	9	9	p		G	C	B	C	B
B	A030	<a href="#">Ciconia nigra</a>			c	12	12	i		G	C	C	C	C
B	A082	<a href="#">Circus cyaneus</a>			w	1	5	i		M	C	C	C	C
F	5302	<a href="#">Cobitis paludica</a>			p				V	G	C	B	C	B
I	1044	<a href="#">Coenagrion mercuriale</a>			p				R	M	D			
B	A208	<a href="#">Columba palumbus</a>			w	101	250	i		M	C	C	C	C
B	A212	<a href="#">Cuculus canorus</a>			r				P	M	C	C	C	C
B	A027	<a href="#">Egretta alba</a>			w	1	5	i		M	C	C	C	C
B	A027	<a href="#">Egretta alba</a>			r	15	15	p		G	C	C	C	C
B	A026	<a href="#">Egretta garzetta</a>			w	20	20	i		G	C	C	C	C
B	A399	<a href="#">Elanus caeruleus</a>			p	6	6	p		G	C	C	C	C
R	1220	<a href="#">Emys orbicularis</a>			p	1	18	grid 10x10		P	C	B	C	B
I	1065	<a href="#">Euphydryas aurinia</a>			p				C	M	C	A	C	A
I	6199	<a href="#">Euplagia quadripunctaria</a>			p				C	P	C	B	C	A
B	A098	<a href="#">Falco columbarius</a>			w	1	5	i		M	C	C	C	C
B	A095	<a href="#">Falco naumanni</a>			r	1	5	p		G	C	C	C	C
B	A099	<a href="#">Falco subbuteo</a>			r				P	M	C	C	C	C
B	A360	<a href="#">Fringilla montifringilla</a>			w	501	1000	i		M	C	C	C	C
M	1301	<a href="#">Galemys pyrenaicus</a>			p				P	DD	D			
B	A245	<a href="#">Galerida theklae</a>			p				P	M	C	C	C	C

B	A153	<a href="#">Gallinago gallinago</a>			w	1	1	i		G	C	C	C	C
I	1046	<a href="#">Gomphus graslinii</a>			p				R	M	C	B	C	B
B	A127	<a href="#">Grus grus</a>			w	342	342	i		G	C	C	C	C
B	A092	<a href="#">Hieraetus pennatus</a>			r	9	11	p		M	C	C	C	C
B	A300	<a href="#">Hippolais polyglotta</a>			r	1500	2000	i		M	C	C	C	C
R	1259	<a href="#">Lacerta schreiberi</a>			p	1	18	grid 10x10		P	C	B	C	B
I	1083	<a href="#">Lucanus cervus</a>			p				P	P	C	B	C	B
F	6168	<a href="#">Luciobarbus comizo</a>			p				P	G	C	B	C	B
B	A246	<a href="#">Lullula arborea</a>			p	5000	7000	i		M	C	C	C	C
B	A271	<a href="#">Luscinia megarhynchos</a>			r	2000	2500	i		M	C	C	C	C
P	1427	<a href="#">Marsilea batardae</a>			p	1	1	grid 1x1		P	C	C	C	C
P	1429	<a href="#">Marsilea strigosa</a>	X		p				P	P	D			
R	1221	<a href="#">Mauremys leprosa</a>			p	1	18	grid 10x10		P	C	B	C	B
B	A230	<a href="#">Merops apiaster</a>			r	11	50	p		M	C	C	C	C
M	1338	<a href="#">Microtus cabrerai</a>			p				P	DD	D			
B	A073	<a href="#">Milvus migrans</a>			r	11	50	p		M	C	C	C	C
B	A074	<a href="#">Milvus milvus</a>			w				P	M	C	C	C	C
B	A262	<a href="#">Motacilla alba</a>			w	2000	3000	i		M	C	C	C	C
B	A077	<a href="#">Neophron percnopterus</a>			r	2	2	p		G	C	C	C	C
B	A279	<a href="#">Oenanthe leucura</a>			p				P	M	C	C	C	C
B	A337	<a href="#">Oriolus oriolus</a>			r	180	17	i		M	C	B	C	C
I	1041	<a href="#">Oxygastra curtisii</a>			p				C	M	B	B	C	A
B	A072	<a href="#">Pernis apivorus</a>			r				P	M	C	C	C	C
B	A017	<a href="#">Phalacrocorax carbo</a>			w	51	100	i		M	C	C	C	C
B	A273	<a href="#">Phoenicurus ochruros</a>			w	3000	3500	i		M	C	C	C	C
B	A315	<a href="#">Phylloscopus collybita</a>			w	6000	9000	i		M	C	C	C	C
B	A005	<a href="#">Podiceps cristatus</a>			r	2	5	i		G	C	C	C	C
B	A266	<a href="#">Prunella modularis</a>			w	1001	2000	i		M	C	C	C	C
F	6149	<a href="#">Pseudochondrostoma polylepis</a>			p				C	G	C	A	C	A
B	A249	<a href="#">Riparia riparia</a>			r	124	124	p		G	C	B	C	A
F	1123	<a href="#">Rutilus alburnoides</a>			p				C	G	C	A	C	A
F	1125	<a href="#">Rutilus lemmingii</a>	X		p				P	G	D			
B	A311	<a href="#">Sylvia atricapilla</a>			r	600	1000	i		M	C	C	C	C
B	A304	<a href="#">Sylvia cantillans</a>			r	2000	3000	i		M	C	C	C	C
B	A302	<a href="#">Sylvia undata</a>			p	501	1000	i		M	C	C	C	C
B	A004	<a href="#">Tachybaptus ruficollis</a>			r	2	2	i		G	C	C	C	C
B	A164	<a href="#">Tringa nebularia</a>			c	1	1	i		G	C	C	C	C
B	A165	<a href="#">Tringa ochropus</a>			w	2	2	i		G	C	C	C	C
B	A162	<a href="#">Tringa totanus</a>			r	4	4	i		G	C	C	C	C
B	A162	<a href="#">Tringa totanus</a>			c	4	4	i		G	C	C	C	C
B	A142	<a href="#">Vanellus vanellus</a>			w	101	250	i		M	C	C	C	C
B	A142	<a href="#">Vanellus vanellus</a>			c	12	12	i		G	C	C	C	C

**Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles  
**S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes  
**NP:** in case that a species is no longer present in the site enter: x (optional)  
**Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)  
**Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))  
**Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information  
**Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species				Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
F	3019	<a href="#">Anguilla anguilla</a>						P			X			
A	2361	<a href="#">Bufo bufo</a>						P			X			
R	5595	<a href="#">Chalcides striatus</a>						P			X			
F	5617	<a href="#">Cyprinus carpio</a>						V						X
B	A240	<a href="#">Dendrocopos minor</a>						P						X
F	5654	<a href="#">Gambusia holbrooki</a>						C						X
I		<a href="#">Gomphus simillimus</a>						P			X			
A	1203	<a href="#">Hyla arborea</a>						P	X					
F	5687	<a href="#">Lepomis gibbosus</a>						C						X
F	5281	<a href="#">Luciobarbus bocagei</a>						C			X			
R	5709	<a href="#">Macroprotodon brevis</a>						P			X			
F	5719	<a href="#">Micropterus salmoides</a>						V						X
R	2467	<a href="#">Natrix maura</a>						P			X			
I		<a href="#">Onychogomphus uncatatus</a>						P			X			
R	2428	<a href="#">Podarcis hispanica</a>						P			X			
I		<a href="#">Poecilocampa alpina</a>						P						X
R	2430	<a href="#">Psammodromus algirus</a>						P			X			
A	1216	<a href="#">Rana iberica</a>						P	X					
A	1211	<a href="#">Rana perezi</a>						C		X				
F	5830	<a href="#">Salmo trutta</a>						C			X			
F	5857	<a href="#">Squalius pyrenaicus</a>						C			X			

**Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

**CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

**S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

**NP:** in case that a species is no longer present in the site enter: x (optional)

**Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

**Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present

**Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N18	2.0
N08	4.0
N16	15.0
N09	1.0
N06	78.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

ZEPA situada en el noreste de la provincia de Cáceres, sobre las comarcas de Jaraiz de la Vera, Plasencia y Navalmoral de la Mata, distribuido a lo largo de 26 municipios diferentes. Este espacio está situado alrededor del río Tiétar, rodeando las zonas de pinares. El espacio cuenta con varios cursos de agua, como el río Tiétar, Garganta de Pasarón, Arroyo de las Navas, Arroyo del Fresno, Garganta de Jaranda, Arroyo de santa maría, Arroyo Barreros, Arroyo Boquillas y Arroyo de Alcanizo entre otros. Los límites de esta ZEPA se encuentran situados sobre los términos de Aldeanueva de la Vera, Arroyomolinos de la Vera, Barrado, Casatejada, Collado de la Vera, Cuacos de Yuste, Garganta la Olla, Garguera, Guijo de Santa Bárbara, Jarandilla de la Vera, Jaraiz de la Vera, Losar de la Vera, Madrigal de la Vera, Majadas, Malpartida de Plasencia, Navalmoral de la Mata, Pasarón de la Vera, Robledillo de la Vera, Rosalejo, Talaveruela de la Vera, Talayuela, Tejeda de Tiétar, Toril, Valverde de la Vera, Viandar de la Vera, Villanueva de la Vera.

### 4.2 Quality and importance

Un total de 28 elementos referidos en la Directiva Hábitat se encuentran representados en dicho enclave. De ellos 10 son hábitat y 18 se corresponden con taxones del Anexo II. En este enclave se encuentran también un total de 7 taxones pertenecientes al anexo I de la Directiva Aves. El paisaje se encuentra representado por robledales galaico portugueses de *Quercus robur* y *Quercus pyrenaica*, con manchas de dehesa de varias *Quercus* y algunas etapas seriales como retamales y brezales, con representación de vegetación ripícola en cursos de agua. Entre los taxones de mamíferos aparece el desmán ibérico (*Galemys pyrenaicus*) y topillo de cabrera (*Microtus cabraerae*), en peligro. Aparece galápago europeo (*Emys orbicularis*), galápago leproso (*Mauremys leprosa*) y lagarto verdinegro (*Lacerta schreiberi*) en reptiles y en peces boga del Tajo (*Chondrostoma toxostoma*), calandino (*Rutilus alburnoides*), pardilla (*Rutilus lemmingii*), colmilleja (*Cobitis taenia*) y barbo comizo (*Barbus haasi*). En invertebrados están presentes *Callimorpha quadripunctaria*, *Cerambyx cerdo*, *Coenagrion mercuriale*, *Euphydryas aurinia*, *Gomphus graslini*, *Lucanus cervus* y *Oxygastris curtisii*. En aves destacan las poblaciones reproductoras búho real (*Bubo bubo*), elanio azul (*Elaenus caeruleus*), cigüeña negra (*Ciconia nigra*) y alimoche (*Neophron percnopterus*), destacando también las concentraciones postnupciales de cigüeña negra. También es de destacar, aunque no sea una especie incluida en el anexo I de la Directiva, la presencia de una colonia reproductora de garza real (*Ardea cinerea*)

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	B		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]
L	X		i

M	A09		i
H	A01		i
M	C01.01		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

#### 4.5 Documentation

Datos de la Dirección General del Medio Natural.

### 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

#### 5.1 Designation types at national and regional level:

#### 5.2 Relation of the described site with other sites:

#### 5.3 Site designation (optional)

### 6. SITE MANAGEMENT

[Back to top](#)

#### 6.1 Body(ies) responsible for the site management:

Organisation:	Junta de Extremadura. Consejería de Medio Ambiente y Rural, Políticas Agrarias y Territorio. Dirección General de Medio Ambiente
Address:	Avenida de Luis Ramallo s/n. CP: 06800 MÉRIDA (Badajoz)
Email:	dgma.marpat@gobex.es

#### 6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes	Name: Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura. Link: <a href="http://doe.gobex.es/pdfs/doe/2015/1050o/15040122.pdf">http://doe.gobex.es/pdfs/doe/2015/1050o/15040122.pdf</a>
<input type="checkbox"/>	No, but in preparation	
<input type="checkbox"/>	No	

#### 6.3 Conservation measures (optional)

Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura.

### 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

<http://natura2000.eea.europa.eu/>