



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ES0000430
SITENAME Colonias de Cernícalo Primilla de Alburquerque

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type A | 1.2 Site code ES0000430 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Colonias de Cernícalo Primilla de Alburquerque

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 2004-12 | 1.5 Update date 2015-12 |
|--|-----------------------------------|

1.6 Respondent:

Name/Organisation: Junta de Extremadura
Consejería de Medio Ambiente y Rural, Políticas Agrarias y
Address: Territorio Dirección General de Medio Ambiente Avenida de Luis Ramallo s/n06800
MÉRIDA
Email: dgma.marpat@gobex.es

1.7 Site indication and designation / classification dates

| | |
|--|---|
| Date site classified as SPA: | 2004-12 |
| National legal reference of SPA designation | Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

-7.00055555555556

Latitude

39.21944444444444

2.2 Area [ha]:

23.91

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name**NUTS level 2 code****Region Name**

ES43

Extremadura

2.6 Biogeographical Region(s)Mediterranean (100.0
%)**3. ECOLOGICAL INFORMATION**[Back to top](#)**3.1 Habitat types present on the site and assessment for them****3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them**

| Species | | | | Population in the site | | | | | | | Site assessment | | | |
|---------|------|--------------------------------------|---|------------------------|---|------|-----|------|------|---------|-----------------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A226 | Apus apus | | | r | 51 | 100 | i | | M | C | C | C | C |
| B | A227 | Apus pallidus | | | r | 11 | 50 | i | | M | C | C | C | C |
| B | A031 | Ciconia ciconia | | | r | 6 | 6 | p | | G | C | C | C | C |
| B | A253 | Delichon urbica | | | r | 51 | 100 | i | | M | C | C | C | C |
| B | A095 | Falco naumanni | | | r | 8 | 20 | p | | G | C | C | C | C |
| B | A281 | Monticola solitarius | | | r | | | | C | P | D | | | |
| B | A267 | Prunella collaris | | | w | 1 | 5 | i | | M | C | C | C | C |

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory)

species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | Motivation | | | | | | |
|---------|------|-----------------------------------|---|----|------------------------|-----|------|------------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| B | A096 | Falco tinnunculus | | | | | | P | | | X | | | |
| B | A213 | Tyto alba | | | | | | P | | | X | | | |

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N23 | 100.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

ZEPA situada en la provincia de Badajoz en el interior de la población de Alburquerque, muy cercana al Espacio Natural Protegido ZIR "Sierra de San Pedro". Posee tres núcleos importantes de cría de Falco naumanni, considerándolos como tres colonias: Castillo de Alburquerque (o Castillo de Media Luna), Convento de San Francisco e Iglesia de San Mateo. Dentro del recinto de la ZEPA existen algunas nidificaciones puntuales en viviendas particulares. En las paredes del Castillo nidifican otras especies como Roquero solitario o Vencejo común. Tanto en el Convento como en la Iglesia existe presencia de especies acompañantes como una pequeña colonia de Cigüeña blanca, Lechuza común o Avión común. Los falconidos tienen su principal área de alimentación en el entorno de cultivos de secano y dehesas muy aclaradas en las proximidades de Alburquerque.

4.2 Quality and importance

En este espacio se encuentra dos taxones del Anexo I de la Directiva aves, Falco naumanni, en colonias de reproducción (Castillo de Media Luna, Convento de San Francisco e Iglesia de San Mateo), y Ciconia

ciconia, en nidificación colonial (Iglesia de San Mateo y entorno) y dispersa en los límites de la ZEPA. Además se reproducen en la ZEPA otras 4 especies de migrantes de llegada regular como Apus apus, Apus pallidus, Delichon urbica y Monticola solitarius y otro migrante invernante como Prunella collaris.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | D02.01 | | o |
| L | K03.04 | | i |
| H | E06 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | X | | i |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Estudio para determinar el dimensionado, distribución y problemática de poblaciones de algunas especies amenazadas en Extremadura. Población reproductora de Cernícalo primilla (*Falco naumanni* F. 1818) en la Comunidad autónoma de Extremadura. Año 2004. La Cigüeña blanca en España. VI censo Nacional. 2004. SEO

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|--|
| Organisation: | Junta de Extremadura. Consejería de Medio Ambiente y Rural, Políticas Agrarias y Territorio. Dirección General de Medio Ambiente |
| Address: | Avenida de Luis Ramallo s/n. CP: 06800 MÉRIDA (Badajoz) |
| Email: | dgma.marp@gobex.es |

6.2 Management Plan(s):

An actual management plan does exist:

| | | |
|-------------------------------------|------------------------|---|
| <input checked="" type="checkbox"/> | Yes | Name: Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura. Link: http://doe.gobex.es/pdfs/doe/2015/1050o/15040122.pdf |
| <input type="checkbox"/> | No, but in preparation | |
| <input type="checkbox"/> | No | |

6.3 Conservation measures (optional)

Decreto 110/2015, de 19 de mayo, por el que se regula la red ecologica europea Natura 2000 en Extremadura.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

<http://natura2000.eea.europa.eu/>